

***N(2090) S<sub>11</sub>*** $I(J^P) = \frac{1}{2}(\frac{1}{2}^-)$  Status: \*

## OMITTED FROM SUMMARY TABLE

Any structure in the  $S_{11}$  wave above 1800 MeV is listed here. A few early results that are now obsolete have been omitted.

The latest GWU analysis (ARNDT 06) finds no evidence for this resonance.

***N(2090) BREIT-WIGNER MASS***

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>≈ 2090 OUR ESTIMATE</b>			
1928±59	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
2180±80	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
1880±20	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1822±43	VRANA 00	DPWA	Multichannel
1897±50 <sup>+30</sup> <sub>-2</sub>	PLOETZKE 98	SPEC	$\gamma p \rightarrow p\eta'(958)$

***N(2090) BREIT-WIGNER WIDTH***

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
414±157			
350±100	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
95±30	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
248±185	VRANA 00	DPWA	Multichannel
396±155 <sup>+35</sup> <sub>-45</sub>	PLOETZKE 98	SPEC	$\gamma p \rightarrow p\eta'(958)$

***N(2090) POLE POSITION*****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2150±70	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
1937 or 1949	<sup>1</sup> LONGACRE 78	IPWA	$\pi N \rightarrow N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1795	VRANA 00	DPWA	Multichannel

**–2×IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
350±100	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
139 or 131	<sup>1</sup> LONGACRE 78	IPWA	$\pi N \rightarrow N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
220	VRANA 00	DPWA	Multichannel

## **N(2090) ELASTIC POLE RESIDUE**

### **MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
$40 \pm 20$	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

### **PHASE $\theta$**

VALUE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
$0 \pm 90$	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

## **N(2090) DECAY MODES**

### Mode

$\Gamma_1$	$N\pi$
$\Gamma_2$	$N\eta$
$\Gamma_3$	$\Lambda K$
$\Gamma_4$	$N\pi\pi$
$\Gamma_5$	$\Delta\pi$
$\Gamma_6$	$\Delta(1232)\pi$ , D-wave
$\Gamma_7$	$N\rho$
$\Gamma_8$	$N\rho$ , $S=1/2$ , S-wave
$\Gamma_9$	$N\rho$ , $S=3/2$ , D-wave
$\Gamma_{10}$	$N(\pi\pi)^{I=0}_{S\text{-wave}}$
$\Gamma_{11}$	$N(1440)\pi$

## **N(2090) BRANCHING RATIOS**

### $\Gamma(N\pi)/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT
$0.10 \pm 0.10$	MANLEY 92	IPWA	$\pi N \rightarrow \pi N$ & $N\pi\pi$
$0.18 \pm 0.08$	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
$0.09 \pm 0.05$	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
$0.17 \pm 0.03$	VRANA 00	DPWA	Multichannel

### $\Gamma_1/\Gamma$

### $\Gamma(N\eta)/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT
$0.41 \pm 0.04$	VRANA 00	DPWA	Multichannel

### $\Gamma_2/\Gamma$

### $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(2090) \rightarrow \Lambda K$

VALUE	DOCUMENT ID	TECN	COMMENT
not seen	SAXON 80	DPWA	$\pi^- p \rightarrow \Lambda K^0$

### $(\Gamma_1\Gamma_3)^{1/2}/\Gamma$

### $\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT
$0.01 \pm 0.01$	VRANA 00	DPWA	Multichannel

### $\Gamma_6/\Gamma$

$\Gamma(N\rho, S=1/2, S\text{-wave})/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.36±0.01	VRANA 00	DPWA	Multichannel

$\Gamma_8/\Gamma$

$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.01±0.01	VRANA 00	DPWA	Multichannel

$\Gamma_9/\Gamma$

$\Gamma(N(\pi\pi)_{S\text{-wave}}^{I=0})/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.02±0.01	VRANA 00	DPWA	Multichannel

$\Gamma_{10}/\Gamma$

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.02±0.01	VRANA 00	DPWA	Multichannel

$\Gamma_{11}/\Gamma$

## N(2090) FOOTNOTES

<sup>1</sup> LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to  $\pi N \rightarrow N\pi\pi$  data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.

## N(2090) REFERENCES

ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
PLOETZKE	98	PL B444 555	R. Ploetzke <i>et al.</i>	(Bonn SAPHIR Collab.)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
SAXON	80	NP B162 522	D.H. Saxon <i>et al.</i>	(RHEL, BRIS) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
LONGACRE	78	PR D17 1795	R.S. Longacre <i>et al.</i>	(LBL, SLAC)